Author Index of Volume 33

Achtermann, M. D., 87

Bagshaw, N. E., 3
Beil, F., 319
Bernardi, W., 331
Boden, D. P., 257
Bolotovsky, V. I., 51
Bouirden, L., 27

Calasanzio, D., 59
Clerici, G., 67
Cook, G. M., 145

Döring, H., 213
Dyson, J. I., 135

Eisenhut, N. R., 77

Furukawa, H., 117

Garche, J., 213
Greenlee, M. E., 87

Heim, A., 187
Hertz, J., 27
Hilger, J. P., 27
Ho, M. S., 187
Hoover, J. H., 257

Isoi, T., 117

Johnson, R. T., 309

Khegay, L. D., 279
Kiessling, R., 275
Kosai, M., 105
Kseniak, E. M., 77

Lata, V. A., 279

McClelland, D. H., 59
Meissner, E., 231

Nakao, S., 117
Nakayama, Y., 117
Nann, E., 93
Nelson, R. F., 165
Nourjigitov, S. T., 279

Ochiai, T., 291
Osumi, S., 105

Pavlov, D., 221
Peters, K., 247
Pierson, J. R., 309
Polivianny, I. R., 279
Pösch, G., 127
Prengaman, R. D., 13

Richter, G., 285
Rusin, A. I., 279

Sheng Fenchi, 21
Spindler, W. C., 145
Stevenson, J. M., 135
Su Wenchuan, 21

Tsubota, M., 105

Valeriote, E. M. L., 187
Voss, E., 231

Wen Haiquan, 21
Wiesener, K., 213
Wilson, F., 135
Wisdom, D. M., 165

Zhou Shaomin, 21

Elsevier Sequoia/Printed in The Netherlands

Author Index of Volume 33

Achtermann, M. D., 87

Bagshaw, N. E., 3
Beil, F., 319
Bernardi, W., 331
Boden, D. P., 257
Bolotovsky, V. I., 51
Bouirden, L., 27

Calasanzio, D., 59
Clerici, G., 67
Cook, G. M., 145

Döring, H., 213
Dyson, J. I., 135

Eisenhut, N. R., 77

Furukawa, H., 117

Garche, J., 213
Greenlee, M. E., 87

Heim, A., 187
Hertz, J., 27
Hilger, J. P., 27
Ho, M. S., 187
Hoover, J. H., 257

Isoi, T., 117

Johnson, R. T., 309

Khegay, L. D., 279
Kiessling, R., 275
Kosai, M., 105
Kseniak, E. M., 77

Lata, V. A., 279

McClelland, D. H., 59
Meissner, E., 231

Nakao, S., 117
Nakayama, Y., 117
Nann, E., 93
Nelson, R. F., 165
Nourjigitov, S. T., 279

Ochiai, T., 291
Osumi, S., 105

Pavlov, D., 221
Peters, K., 247
Pierson, J. R., 309
Polivianny, I. R., 279
Pösch, G., 127
Prengaman, R. D., 13

Richter, G., 285
Rusin, A. I., 279

Sheng Fenchi, 21
Spindler, W. C., 145
Stevenson, J. M., 135
Su Wenchuan, 21

Tsubota, M., 105

Valeriote, E. M. L., 187
Voss, E., 231

Wen Haiquan, 21
Wiesener, K., 213
Wilson, F., 135
Wisdom, D. M., 165

Zhou Shaomin, 21

Elsevier Sequoia/Printed in The Netherlands

Subject Index of Volume 33

Alloy(s)
behaviour of Pb–Ca alloys in positive plates of flooded and recombinant lead/acid batteries, 59
demands on automotive battery performance, what is best alloy?, 285
electrochemical properties of Pb–Sr alloys for lead/acid batteries, 21
grid alloys for maintenance-free deep-cycling batteries, 3
improved grid alloys for deep-cycling Pb–Ca batteries, 13
Pb–Ca alloys in production of lead/acid batteries, 51
Automotive applications
characteristics of valve-regulated lead/acid batteries for automotive applications under deep-discharge duty, 105
Automotive batteries
automotive batteries; from single component to entire part of electrical system in vehicle, 331
automotive battery energy density; past, present and future, 247
failure mechanisms of lead/acid automotive batteries in service in U.S.A., 257
Automotive battery performance
demands on automotive battery performance, what is best alloy?, 285
Automotive battery plates
thirteen years' experience with expanded Pb–Ca–Sn grids for automotive battery plates, 67

Battery(ies)
application of wrought Pb–Ca batteries in Europe, 87
automotive batteries; from single component to entire part of electrical system in vehicle, 331
formation of wrought Pb–Ca batteries for consistency, 77
grid alloys for maintenance-free deep-cycling batteries, 3
improved grid alloys for deep-cycling Pb–Ca batteries, 13
lead/acid
behaviour of Pb–Ca alloys in positive plates of flooded and recombinant lead/acid batteries, 59
characteristics of valve-regulated lead/acid batteries for automotive applications under deep-discharge duty, 105
electrochemical properties of Pb–Sr alloys for, 21
improving performance of deep-cycling, valve-regulated lead/acid batteries, 93
low-maintenance, valve-regulated, lead/acid batteries in utility applications, 145
Pb–Ca alloys in production of lead/acid batteries, 51
sealed lead/acid battery for motorcycle use, 117
Battery applications
pure Pb and Sn effect in deep-cycling lead/acid battery applications, 165
Battery designer
battery designer's challenge; satisfying ever-increasing demands of vehicle electrical systems, 309
Battery electrical needs
battery electrical needs for next generation of cars, 291
Battery performance
demands on automotive battery performance, what is best alloy?, 285
Battery plate(s)
effect of dopants (Group Va) on performance of positive lead/acid battery plate, 221
thirteen years' experience with expanded Pb–Ca–Sn grids for automotive battery plates, 67
variables affecting deep-cycling characteristics of expanded-grid lead/acid battery plates, 187
Battery production
processing of wastes from lead/acid battery production, 279

Elsevier Sequoia/Printed in The Netherlands

Calcium
application of wrought Pb–Ca batteries in Europe, 87
discontinuous and continuous hardening processes in Ca and Ca–Sn micro-alloyed Pb; influence of 'secondary-lead' impurities, 27
formation of wrought Pb–Ca batteries for consistency, 77
Pb–Ca alloys in production of lead/acid batteries, 51
thirteen years' experience with expanded Pb–Ca–Sn grids for automotive battery plates, 67
Capacity decay
reversible capacity decay of positive electrodes in lead/acid cells, 231
Car(s)
battery electrical needs for next generation of cars, 291
electronics in cars; consequences for energy-supply system, 319
Cell(s)
maintenance-free motive-power cells using gas-recombination technology, 135
reversible capacity decay of positive electrodes in lead/acid cells, 231
Cycle life
high gelled-electrolyte quality with polyacrylamide polymer; limitation of cycle-life through water loss, 127

Deep-cycling batteries
grid alloys for maintenance-free deep-cycling batteries, 3
improved grid alloys for deep-cycling Pb–Ca batteries, 13
improving performance of deep-cycling, valve-regulated lead/acid batteries, 93
Deep-cycling battery applications
pure Pb and Sn effect in deep-cycling lead/acid battery applications, 165
Deep-cycling characteristics
variables affecting deep-cycling characteristics of expanded-grid lead/acid battery plates, 187
Deep-discharge duty
characteristics of valve-regulated lead/acid batteries for automotive applications under deep-discharge duty, 105
Dopants
effect of dopants (Group Va) on performance of positive lead/acid battery plate, 221

Electrical needs
battery electrical needs for next generation of cars, 291
Electrical system(s)
automotive batteries; from single component to entire part of electrical system in vehicle, 331
battery designer's challenge satisfying ever-increasing demands of vehicle electrical systems, 309
Electrochemical properties
of Pb–Sr alloys for lead/acid batteries, 21
Electrochemistry
influence of phosphoric acid on both electrochemistry and operating behaviour of lead/acid system, 213
Electrodes
reversible capacity decay in positive electrodes in lead/acid cells, 231
Electrolyte
high gelled-electrolyte quality with polyacrylamide polymer; limitation of cycle-life through water loss, 127
Electronics
electronics in cars; consequences for energy-supply system, 319
Energy density
automotive battery energy density; past, present and future, 247
Energy-supply system
electronics in cars; consequences for energy-supply system, 319
Expanded grid
variables affecting deep-cycling characteristics of expanded-grid lead/acid battery plates, 187

Failure mechanisms
failure mechanisms of lead/acid automotive batteries in service in U.S.A., 257

Gas-recombination technology
maintenance-free motive-power cells using gas-recombination technology, 135

Gelled-electrolyte
high gelled-electrolyte quality with polyacrylamide polymer; limitation of cycle-life through water loss, 127
Grid alloys
grid alloys for maintenance-free deep-cycling batteries, 3
improved grid alloys for deep-cycling Pb–Ca batteries, 13
Grids
thirteen years' experience with expanded Pb–Ca–Sn grids for automotive battery plates, 67

Hardening processes
discontinuous and continuous hardening processes in Ca and Ca–Sn micro-alloyed Pb; influence of 'secondary-lead' impurities, 27

Lead
discontinuous and continuous hardening processes in Ca and Ca–Sn micro-alloyed Pb; influence of 'secondary-lead' impurities, 27
pure Pb and Sn effect in deep-cycling lead/acid battery applications, 165
thirteen years' experience with expanded Pb–Ca–Sn grids for automotive battery plates, 67
Lead/acid battery(ies)
behaviour of Pb–Ca alloys in positive plates of flooded and recombinant lead/acid batteries, 59
characteristics of valve-regulated lead/acid batteries for automotive applications under deep-discharge duty, 105
electrochemical properties of Pb–Sr alloys for lead/acid batteries, 21
failure mechanisms of lead/acid automotive batteries in service in U.S.A., 257
improving performance of deep-cycling, valve-regulated lead/acid batteries, 93
low-maintenance, valve-regulated, lead/acid batteries in utility applications, 145
Pb–Ca alloys in production of lead/acid batteries, 51
pure Pb and Sn effect in deep-cycling lead/acid battery applications, 165
sealed lead/acid battery for motorcycle use, 117
Lead/acid battery plate(s)
effect of dopants (Group Va) on performance of positive lead/acid battery plate, 221
variables affecting deep-cycling characteristics of expanded-grid lead/acid battery plates, 187
Lead/acid battery production
processing of wastes from lead/acid battery production, 279
Lead/acid cells
reversible capacity decay in positive electrodes in lead/acid cells, 231
Lead/acid system
influence of phosphoric acid on both electrochemistry and operating behaviour of lead/acid system, 213
Lead–calcium alloys
behaviour of Pb–Ca alloys in positive plates of flooded and recombinant lead/acid batteries, 59
Pb–Ca alloys in production of lead/acid batteries, 51
Lead–calcium batteries
application of wrought Pb–Ca batteries in Europe, 87
formation of wrought Pb–Ca batteries for consistency, 77
improved grid alloys for deep-cycling Pb–Ca batteries, 13
Lead–strontium alloys
electrochemical properties of Pb–Sr alloys for lead/acid batteries, 21
Low-maintenance batteries
low-maintenance, valve-regulated, lead/acid batteries in utility applications, 145

Maintenance-free batteries
grid alloys for maintenance-free deep-cycling batteries, 3
Maintenance-free cells
maintenance-free motive power cells using gas-recombination technology, 135
Motive-power cells
maintenance-free motive-power cells using gas-recombination technology, 135
Motorcycle(s)
sealed lead/acid battery for motorcycle use, 117

Operating behaviour
influence of phosphoric acid on both electrochemistry and operating behaviour of lead/acid system, 213

Phosphoric acid
influence of phosphoric acid on both electrochemistry and operating behaviour of lead/acid system, 213
Polyacrylamide polymer
high gelled-electrolyte quality with polyacrylamide polymer; limitation of cycle-life through water loss, 127
Positive plates
behaviour of Pb–Ca alloys in positive plates of flooded and recombinant lead/acid batteries, 59

Strontium
electrochemical properties of Pb–Sr alloys for lead/acid batteries, 21

Temperature-controlled formation, 275
Tin
discontinuous and continuous hardening processes in Ca and Ca–Sn micro-alloyed Pb; influence of 'secondary-lead' impurities, 27
pure Pb and Sn effect in deep-cycling lead/acid battery applications, 165
thirteen years' experience with expanded Pb–Ca–Sn grids for automotive battery plates, 67

Utility applications
low-maintenance, valve-regulated, lead/acid batteries in utility applications, 145

Valve-regulated batteries
characteristics of valve-regulated lead/acid batteries for automotive applications under deep-discharge duty, 105
improving performance of deep-cycling, valve-regulated, lead/acid batteries, 93
low-maintenance, valve-regulated, lead/acid batteries in utility applications, 145
Vehicle(s)
automotive batteries; from single component to entire part of electrical system in vehicle, 331
battery designer's challenge satisfying ever-increasing demands of vehicle electrical systems, 309

Wastes
processing of wastes from lead/acid battery production, 279
Water loss
high gelled-electrolyte quality with polyacrylamide polymer; limitation of cycle-life through water loss, 127